



DynaMed[®]

Nuevas funcionalidades:
Drug Interaction checker y Drugs A-Z

Opciones de consulta de fármacos

DynaMed



EP SALES
SIGN IN

Learn more about CME

Specialties ▾

Drugs A-Z

Drug Interactions

Differential Diagnosis

Calculators


About

Mobile

CONFIDENCE IN PRACTICE

🌐 Español ▾

🔍 Buscar



Cardiology

Acute Coronary Syndromes,
Stable Coronary Artery Disease,
Heart Failure

[View Specialty](#)



Oncology

Breast Cancers, Lung Cancers,
Gastrointestinal Cancers,
Lymphomas

[View Specialty](#)



Dermatology

Eczematous Dermatoses,
Malignant and Pre-malignant
Lesions, Papulosquamous...

[View Specialty](#)

Feedback

Opciones de consulta: Drugs A-Z

DynaMed

EP SALES
SIGN IN

Learn more about CME

Buscar

Specialties ▾ Drugs A-Z Drug Interactions Differential Diagnosis Calculators About Mobile

Drugs A-Z

Powered by *IBM Micromedex*



A B C D E **F** G H I J K L M N O P Q R S T U V >

Fex

Solo hay que pinchar sobre la primera letra y luego utilizar la caja de búsqueda o el listado para localizar el fármaco que queremos buscar

F



Fexofenadine

Fexofenadine/Pseudoephedrine

Acceda rápidamente a
cada una de las
secciones dentro del tema

Fexofenadine 

IBM Micromedex®

Class

Class

- > Dosing & Indications
- > Contraindications/Warnings
- Pregnancy & Lactation
- Drug Interactions
- > Adverse Effects
- Monitoring
- > Toxicology
- Clinical Teaching
- Administration
- Mechanism of Action
- Pharmacokinetics
- US Availability
- > How Supplied
- References

Class

- Antihistamine, Less-Sedating
- Butyrophenone
- Respiratory Agent

Dosing & Indications**Adult Dosing**

- Idiopathic urticaria, chronic
 - 60 mg ORALLY twice daily OR 180 mg ORALLY once daily with water (manufacturer dosing) ; if symptoms persist after 2 weeks, may increase up to 4 times the standard dose (guideline dosing)
- Seasonal allergic rhinitis
 - 60 mg orally twice daily or 180 mg once daily with water
- [IBM Micromedex® DRUGDEX® Subscribers: FEXOFENADINE Details](#)

Pediatric Dosing

- General Dosage Information
 - safety and efficacy not established in children less than 6 months of age
 - orally disintegrating tablets (ODT) not approved for children under 6 years of age

Opciones de consulta: Drug interaction checker

DynaMed

EP SALES
SIGN IN

Learn more about CME

Buscar

Specialties ▾ Drugs A-Z Drug Interactions Differential Diagnosis Calculators About Mobile

Drug Interactions

Use the search fields to look up two or more drugs for potential interactions.

SIMVASTATIN

FEXOFENADINE

ZOLPIDEM

CLOPIDOGREL

ASPIRIN

⊕ Add Drug

Check for Interactions

Start Over

Elija los fármacos para, de forma rápida, chequear posibilidades de interacciones entre ellos

Interactions for SIMVASTATIN, FEXOFENADINE, ZOLPIDEM, CLOPIDOGREL, ASPIRIN

Display Drug/Drug interactions

Severity Index ⓘ

Drug/Drug Interactions (2):

CLOPIDOGREL HYDROGEN SULFATE

MAJOR ⚠️



Documentation: Fair

Concurrent use of **ASPIRIN** and **CLOPIDOGREL** may result in an increased risk of bleeding. [See details >](#)

SIMVASTATIN


MODERATE ⓘ



Documentation: Excellent

Concurrent use of **CLOPIDOGREL** and **CYP3A4 METABOLIZED STATINS** may result in decreased formation of clopidogrel active metabolite resulting in high on-treatment platelet reactivity. [See details >](#)

Acceso disponible 24h/día en cualquier parte del mundo



DynaMed®

Benedita Menezes

bmenezes@ebSCO.com

+34 638 931 755